Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3	("3891372" "4595546" "4013276"). pn.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 07:11
S2	0	"10690498"	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 07:11
S3	1	"10/690498"	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 07:31
S4	. 2	"20040086592"	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/08/16 07:13
. S5		"4243773".pn.	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/08/16 07:13
S6	0	S3 and stabilizing	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 07:34
S7	· 1	S3 and agent	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 07:31
S8	1	S3 and stabilizer	US-PGPUB; USPAT; USOCR	OR .	ON	2007/08/16 07:34
S9	74	("1427272" "2207426" "2471324" "2890491" "3150411" "3158901" "3256568" "3458894" "3485905" "3526926" "3619329" "3638921" "3646155" "3674401" "3785620" "3799510" "3817675" "3871624" "3979488" "4107354" "4117063" "4117195" "4234531" "4250132" "4302409" "4333898" "4341474" "4351790" "4409164" "4419014" "4489029").PN. OR ("3891372" "4013276" "4595546").URPN.	US-PGPUB; USPAT; USOCR	OR .	ON	2007/08/16 07:37
S10	14	("3827841" "4714716" "4605682" "4182398" "4234531" "5310513" "4089917" "4581383" "3868436" "4228255" "4573893" "4526526" "4285648" "5098782").pn.	US-PGPUB; USPAT; USOCR	OR	ON ·	2007/08/16 07:37

			T	T	T	T
S11	375	("0705756" "2393452"	US-PGPUB;	OR	ON	2007/08/16 07:38
		"2443289" "2478013" "2539128"	USPAT;	1		
		"2734224" "2774991"	USOCR			
		"2814071" "2846421" "2873352"		-	-	
		"2888424" "2911676"				•
		"3013104" "3054142" "3064073"				
		"3160688" "3170011"				
		"3250730" "3275731" "3307218"				1
		"3315308" "3379802"			İ	
1		"3391051" "3431599" "3443007"				
ļ		"3452123" "3458608"				
		"3480997" "3522337" "3527851"		•		
İ		"3544665" "3546326"				
		"3567697" "3618169" "3646155"				
		"3737506" "3742105"				
		"3758658" "3780262" "3800019"			1	
		"3819784" "3871807"				
		"3876736" "3879505" "3907960"				
		"3907961" "3923947"				
		"3928525" "3930782" "3936523"				
		"3939237" "3990828"				
		"4058583" "4063546" "4069282"				
Ì		"4088724" "4091064"		1 .	1	
		"4101467" "4102829" "4110269"		·		
		"4115048" "4129530"				
		"4130616" "4136132" "4146562"	1			
		"4151238" "4155690"	•			
		"4160072" "4182601" "4206165"				
		"4212171" "4215202"				
		"4226946" "4246211" "4252906"				
		"4262052" "4266041"				
		"4289857" "4331779" "4333898"				
		"4343911" "4351910"				
		"4359539" "4366263" "4384032"			-	
		"4387169" "4389366"				
		"4413066" "4419309" "4421867"				
		"4438224" "4446254"				
		"4452751" "4454086" "4456704"	•			•
		"4499210" "4515907"				
•		"4552708" "4554293" "4585605"				
1		"4622794" "4644013"				
.		"4671910" "4683166" "4714716"				
		"4722972" "4747983"				
		"4761328" "4762860" "4767655"				
		"4788225" "4801484"				
		"4810570" "4824720" "4931484"		1		
		"4952352" "4990542"				
		"5007765" "T915014").PN. OR				
		("3827841" "3868436"				
		"4089917" "4182398" "4228255"				
		"4234531" "4285648"				
		"4526526" "4573893" "4581383"				
		"4605682" "4714716"				
		"5098782" "5310513").URPN.			1	

	1	·				
S12	452	S9 S10 S11	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 07:38
S13	9	S12 and (hollow near4 screw)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 07:40
S14	11	("3102303" "3591674" "3891372" "4013276" "4409164" "4595546" "4797242" "5500172" "6106761").PN. OR ("6524516").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 07:39
S15	0	S14 and (hollow near4 screw)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 10:39
S16	676	(hollow\$3 near4 screw) and (cool\$3 coolant cold water) near7 (screw)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 08:10
S17	. 9	S12 and (hollow\$3 near4 screw)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 08:08
S18	. 164	(hollow\$3 near4 screw) and (cool\$3 coolant cold water) near7 (screw) and (extruder extrud\$3 extrusion)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16_07:41
S19	149	(hollow\$3 near4 screw) and (cool\$3 coolant cold water) near7 (screw) and (extruder extrud\$3 extrusion)	USPAT; USOCR	OR	ON	2007/08/16 08:09

S20 1	.80	("1780948" "1902295" "2257067" "2505125" "2653348"	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 08:07
S21	19	S20 and (hollow\$3 near4 screw)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 08:08
S22	11	S21 not S19	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 08:08

S23	8	(hollow\$3 near4 screw) and (cool\$3 coolant cold water) near7 (screw) and (extruder extrud\$3 extrusion) and \$20	USPAT; USOCR	OR	ON	2007/08/16 08:09
S24	0	S23 not S19	USPAT; USOCR	OR	ON	2007/08/16 08:09
S25	16	(hollow\$3 near4 screw) and (extruder extrud\$3 extrusion) and \$20	USPAT; USOCR	OR	ON	2007/08/16 08:09
S26	8	S25 not S19	USPAT; USOCR	OR	ON	2007/08/16 08:09
S27	67	S16 and (curable curing crosslink\$3 crosslinkable cured cross-link\$4)	US-PGPUB; USPAT; USOCR	OR .	ON	2007/08/16 08:11
S28	0	("2004/0086592").URPN.	USPAT	OR	ON	2007/08/16 08:18
S29	786	(264/40.6).ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 08:18
S30	25	S29 and (peroxide)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 08:21
S31	324	S29 and (extruder extrusion extrud\$3) and (cool\$3 coolant cold water)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 08:22
S32	106	S29 and (extruder extrusion extrud\$3) and (cool\$3 coolant cold water) and (crosslink\$3 cross-link\$3 cur\$3 curable crosslinkable cross-linkable)	US-PGPUB; USPAT; USOCR	OR ·	ON	2007/08/16 08:23
S33	62	S29 and (extruder extrusion extrud\$3) and (cool\$3 coolant cold water) same (screw barrel inside internal\$3) and (crosslink\$3 cross-link\$3 cur\$3 curable crosslinkable cross-linkable)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 08:23
S34	29	("2478013" "3480997" "3546326" "3737506" "3758658" "3876736" "3928525").PN. OR ("4089917").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 08:23
S35	7	("3546326").URPN.	USPAT	OR	ON	2007/08/16 08:36
S36	34	("2836851" "2857624" "3054142" "3078511" "3148231" "3358334" "3461490" "3467743" "3546326" "3591674" "3661877" "3864069").PN. OR ("3979488").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 08:37

S37	38	("2528523" "3121914" "3484507" "3546326").PN. OR ("3923947").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 08:40
S38	70	S36 S37	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 08:40
S39	41	S38 and (cool\$3 coolant cold water)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 09:27
S40	28	("3409940" "3632256" "3979488" "4063718").PN. OR ("4134714").URPN.	US-PGPUB; USPAT; USOCR	OR	ON .	2007/08/16 09:26
S41	23	S40 and (cool\$3 coolant cold water)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 09:29
S42	23	S41 not S39	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 09:27
S43	32	("2488189" "2686335" "2836851" "3256562" "3278986" "3407439").PN. OR ("3632256"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 09:29
S44	24	S43 and (cool\$3 coolant cold water)	US-PGPUB; USPAT; USOCR	OR	ON .	2007/08/16 09:50
S45	427	(264/209.6,209.7,211.24).ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 09:50
S46 _.	345	S45 and (cool\$3 coolant water control\$3 control\$3 chill\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 15:50
S47	12	S45 and (cool\$3 coolant water control\$3 control\$3 chill\$3)and (264/40,40.6).ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 09:52
S48	12	S45 and (cool\$3 coolant water control\$3 controll\$3 chill\$3) and (264/40,40.6).ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 09:52
S49	321	S45 and (cool\$3 coolant water control\$3 control\$3 chill\$3) and (extrud\$3 extrusion extrudate)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 09:55
S50	101	S45 and (cool\$3 coolant water control\$3 control\$3 chill\$3) and (extrud\$3 extrusion extrudate) and (peroxide)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 09:55

				T	г	· · · · · · · · · · · · · · · · · · ·
S51	66	S45 and (cool\$3 coolant water control\$3 control\$3 chill\$3) same (screw internal\$3 inside hollow\$3) and (extrud\$3 extrusion extrudate) and (peroxide)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 10:46
S52		("20020050389" "2384123" "2468975" "2540146" "2568658" "2729618" "2810159" "2836851" "2857624" "2913770" "2928130" "2994327" "3013305" "3026272" "3035303" "3054142" "3075948" "3078511" "3102303" "3139657" "3148231" "3201503" "3242244" "3250731" "3287477" "3331100" "3358334" "3452123" "3461490" "3461498" "3467743" "3523988" "3528458" "3546326" "3586645" "3591674" "3606635" "3787542" "3802913" "3805888" "3812225" "380772" "38835088" "3843757" "3856885" "3864069" "3872042" "3891372" "3937447" "3940467" "3956438" "3960802" "3995015" "4013276" "4048275" "4058583" "4073844" "4098861" "4107260" "4111621" "4117063" "4117195" "4124336" "4136132" "4161419" "4169679" "4217433" "4289716" "4297310" "4302409" "4346197" "4351790" "4355905" "4365946" "4409164" "4419014" "4444948" "4462691" "4489029" "4514539" "4528155" "4564349" "4569595" "4595546" "4716000" "4797242" "5256482" "5773356" "5500172" "5719218" "6106761" "6645411" "6797200" "6803517" "6828022" "6830777" "6849217").PN. OR ("3979488" "4001368" "4289716" "4409164" "4440909" "4814130" "4857250" "6524516" "7150842").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 10:38
L				L	L	I

S53	12	S52 and ((hollow\$3 cor\$3) near4 screw)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 10:53
S54	1	(US-6454454-\$).did.	USPAT	OR	ON	2007/08/16 10:46
S55	1	S54 and (cool\$3 coolant water control\$3 controll\$3 chill\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 10:46
S56	41	("1770969" "2069087" "2578354" "2740988" "3102303" "3331100" "3513228" "3588956" "3591674" "3891372" "4013276" "4409164" "4595546" "4797242" "5500172" "6106761").PN. OR ("3331100" "4111621" "4355905" "6524516").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 10:53
S57	3	S56 and ((hollow\$3 cor\$3) near4 screw)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 11:48
S58	578	(water near4 cool\$3 near4 screw)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 11:49
S59	241	(water near4 cool\$3 near4 screw) and (extruder extrud\$3 extrusion)	US-PGPUB; USPAT; USOCR	OR ·	ON	2007/08/16 11:54
S60	90	(water near4 cool\$3 near4 screw) and (extruder extrud\$3 extrusion) and (("264"/).clas. ("425"/).clas. ("366"/).clas.)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 13:25
S61	1313	(extrud\$3 extrusion) and (crosslink\$3 crosslinkable cross-link\$3 cross-linkable) and (peroxide) and (polyolefin polyethylene) and (cool\$3 chill\$3 coolant) near7 (internal\$3 screw barrel inside inject\$3)	US-PGPUB; USPAT; USOCR	OR .	ON	2007/08/16 13:27
S62	164	(extrud\$3 extrusion) and (crosslink\$3 crosslinkable cross-link\$3 cross-linkable) and (peroxide) and (polyolefin polyethylene) and (cool\$3 chill\$3 coolant) near7 (internal\$3 screw barrel inside inject\$3) and ("264"/). clas.	US-PGPUB; USPAT; USOCR	OR .	ON .	2007/08/16 13:27

S63	93	(extrud\$3 extrusion) and (crosslink\$3 crosslinkable cross-link\$3 cross-linkable) and (peroxide) and (polyolefin polyethylene) and (cool\$3 chill\$3 coolant) near7 (internal\$3 screw barrel inside inject\$3) same (extrud\$3 extrusion) and ("264"/). clas.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 13:27
S64	164	(extrud\$3 extrusion) and (crosslink\$3 crosslinkable cross-link\$3 cross-linkable) and (peroxide) and (polyolefin polyethylene) and (cool\$3 chill\$3 coolant) near7 (internal\$3 screw barrel inside inject\$3) and ("264"/). clas.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 13:27
S65	117	(extrud\$3 extrusion) and (crosslink\$3 crosslinkable cross-link\$3 cross-linkable) and (peroxide) and (polyolefin polyethylene) and (cool\$3 chill\$3 coolant) near7 (internal\$3 screw barrel inside inject\$3) and ("264"/). clas.	USPAT; USOCR	OR	ON	2007/08/16 14:19
S66	3	("2011055" "3782870").pn.	USPAT; USOCR	OR	ON	2007/08/16 14:21
S67	624	((extrud\$3 extruding extrusion) and (thermoset\$3 thermosetting crosslink\$4)).ab.	USPAT; USOCR	OR	ON	2007/08/16 14:22
S68	402	((extrud\$3 extruding extrusion) and (thermoset\$3 thermosetting crosslink\$4 cross-link\$4)).ab. and (cool\$3 coolant)	USPAT; USOCR	OR	ON	2007/08/16 14:22
S69	236	((extrud\$3 extruding extrusion) and (thermoset\$3 thermosetting crosslink\$4 cross-link\$4)).ab. and (cool\$3 coolant) same (screw inner internal\$3 inside barrel extruder)	USPAT; USOCR	OR	ON	2007/08/16 14:23
S70	189	((extrud\$3 extruding extrusion) and (thermoset\$3 thermosetting crosslink\$4 cross-link\$4)).ab. and (cool\$3 coolant) same (screw inner internal\$3 inside barrel extruder) and (polyolefin polyethylene peroxide)	USPAT; USOCR	OR	ON	2007/08/16 14:24

S71	105	((extrud\$3 extruding extrusion) and (thermoset\$3 thermosetting crosslink\$4 cross-link\$4)).ab. and (cool\$3 coolant) with (screw inner internal\$3 inside barrel extruder) and (polyolefin polyethylene peroxide)	USPAT; USOCR	OR	ON	2007/08/16 14:25
S72	63	((extrud\$3 extruding extrusion) and (thermoset\$3 thermosetting crosslink\$4 cross-link\$4)).ab. and (cool\$3 coolant) with (screw inner internal\$3 inside barrel) and (polyolefin polyethylene peroxide)	USPAT; USOCR	OR	ON	2007/08/16 14:48
S73	11973	(temperature) with (control\$3 controll\$3) same (extrud\$3 extrusion)	USPAT; USOCR	OR	ON	2007/08/16 14:49
S74	1765	(temperature) with (control\$3 controll\$3) same (extrud\$3 extrusion) and ((internal\$3 hollow screw) with (cool\$3 coolant))	USPAT; USOCR	OR	ON	2007/08/16 14:49
S75	660	(temperature) with (control\$3 controll\$3) same (extrud\$3 extrusion) and ((internal\$3 hollow screw) with (cool\$3 coolant)) and (heat\$3 with (external\$3 barrel))	USPAT; USOCR	OR	ON	2007/08/16 14:50
S76 \	445	(temperature) with (control\$3 control\$3) with (extrud\$3 extrusion) and ((internal\$3 hollow screw) with (cool\$3 coolant)) and (heat\$3 with (external\$3 barrel))	USPAT; USOCR	OR	ON	2007/08/16 14:50
S77	259	(temperature) with (control\$3 control\$3) with (extrud\$3 extrusion) and ((internal\$3 hollow screw) with (cool\$3 coolant)) and (heat\$3 with (external\$3 barrel)) and (polyolefin polyethylene peroxide)	USPAT; USOCR	OR .	ON	2007/08/16 14:52
S78	117	(temperature) with (control\$3 control\$3) with (extrud\$3 extrusion) and ((internal\$3 hollow screw) with (cool\$3 coolant)) and (heat\$3 with (external\$3 barrel)) and (polyolefin polyethylene) and (crosslink\$4 cross-link\$3 curing cured vulcaniz\$3 vulcanizable vulcanization peroxide)	USPAT; USOCR	OR	ON	2007/08/16 14:53
S79	9	S45 and (partial\$3 incomplete\$3) with (cured curing crosslink\$3 cross-link\$3 vulcaniz\$3 vulcanization) same (die)	US-PGPUB; USPAT; USOCR	OR	ON .	2007/08/16 15:57

S80	11	S45 and (partial\$3 incomplete\$3) with (cured curing crosslink\$3 cross-link\$3 vulcaniz\$3 vulcanization) same (extruder)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 15:55
S81	6	S80 not S79	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 15:55
S82	42	S45 and (partial\$3 incomplete\$3) with (cured curing crosslink\$3 cross-link\$3 vulcaniz\$3 vulcanization)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 15:57
S83	31	S82 not S80	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 15:57
S84	27	S83 not S79	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 15:57
S85	50	(US-20010026027-\$ or US-20040086592-\$).did. or (US-3546326-\$ or US-3632256-\$ or US-3923947-\$ or US-3928525-\$ or US-3946803-\$ or US-3979488-\$ or US-3999921-\$ or US-4001368-\$ or US-4089917-\$ or US-4111621-\$ or US-4134714-\$ or US-4168799-\$ or US-4289716-\$ or US-4355905-\$ or US-4489029-\$ or US-4440909-\$ or US-4489029-\$ or US-4528155-\$ or US-4689187-\$ or US-4797242-\$ or US-4814130-\$ or US-4842788-\$ or US-4857250-\$ or US-5204039-\$ or US-5267847-\$ or US-5393213-\$). did. or (US-5413475-\$ or US-5743471-\$ or US-5723506-\$ or US-5743471-\$ or US-5804116-\$ or US-6106263-\$ or US-6165399-\$ or US-6328919-\$ or US-6513737-\$ or US-6328919-\$ or US-6513737-\$ or US-6524516-\$ or US-6893151-\$ or US-7150842-\$).did. or (US-2547000-\$ or US-2615205-\$ or US-3331100-\$ or US-3376604-\$ or US-3331100-\$ or US-3482006-\$). did.	US-PGPUB; USPAT; USOCR	OR.	ON	2007/08/16 16:22
S86	15	S85 and (water with cool\$3 with screw)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 16:26
S87	19	S85 and (hollow\$3 with screw)	US-PGPUB; USPAT; USOCR	OR	ÓN	2007/08/16 16:26

				, 		
S88	15	S85 and (hollow\$3 with screw) same (cool\$3 coolant water)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/16 16:26
S89	3	(polyolefin polyethylene) and , (crosslink\$4 cross-link\$3 curing cured vulcaniz\$3 vulcanizable vulcanization peroxide) and (extruder extrud\$3 extrusion) and (internally near4 cool\$3) near7 (screw extruder barrel)	USPAT; USOCR	OR	ON	2007/08/16 21:16
S90	79	(internally near4 cool\$3) near7 (screw extruder barrel)	USPAT; USOCR	OR	ON	2007/08/16 21:08
S91	61	(water near4 cool\$3 near4 screw) and ((twin near4 screw) (twin-screw))	USPAT; USOCR	OR	ON	2007/08/16 21:14
S92	10	S90 and ((twin near4 screw) (twin-screw))	USPAT; USOCR	OR	ON	2007/08/16 21:16
S93	761	(polyolefin polyethylene) same (crosslink\$4 cross-link\$3 curing cured vulcaniz\$3 vulcanizable vulcanization peroxide) same (extruder extrud\$3 extrusion) and ((twin-screw) (twin near2 screw))	USPAT; USOCR	OR	ON	2007/08/16 21:17
S94	569	(polyolefin polyethylene) same (crosslink\$4 cross-link\$3 curing cured vulcaniz\$3 vulcanizable vulcanization peroxide) same (extruder extrud\$3 extrusion) and ((twin-screw) (twin near2 screw)) and peroxide	USPAT; USOCR	OR	ON	2007/08/16 21:18
S95	110	(polyolefin polyethylene) same (crosslink\$4 cross-link\$3 curing cured vulcaniz\$3 vulcanizable vulcanization peroxide) same (extruder extrud\$3 extrusion) and ((twin-screw) (twin near2 screw)) and ("264"/).clas.	USPAT; USOCR	. OR	ON	2007/08/16 21:18
S96	33	(polyolefin polyethylene) same (crosslink\$4 cross-link\$3 curing cured vulcaniz\$3 vulcanizable vulcanization peroxide) same (extruder extrud\$3 extrusion) same ((twin-screw) (twin near2 screw)) and ("264"/).clas.	USPAT; USOCR	OR	ON .	2007/08/16 21:18
S97	1093	(stabilizer with (crosslink\$4)) and polyethylene and (extrud\$3)	USPAT; USOCR	OR	ON	2007/08/16 21:25
S98	692	(stabilizer with (crosslink\$4)) and polyethylene and (extrud\$3) and peroxide	USPAT; USOCR	OR	ON	2007/08/16 21:25

S99	56	(stabilizer with (crosslink\$4)) and polyethylene and (extrud\$3) and peroxide and ("264"/).clas.	USPAT; USOCR	OR ·	ON	2007/08/16 21:26
S10 0	56	(stabilizer with (crosslink\$4)) and polyethylene and (extrud\$3) and peroxide and ("264"/).clas. and stabilizer	USPAT; USOCR	OR	ON	2007/08/16 21:26

8/17/2007 7:05:34 AM
C:\Documents and Settings\Jwollschlager\My Documents\EAST\Workspaces\10690498.wsp